




BASEFORTE GRIGOLEVEL




High performance self-levelling screed, with thickness from 1 to 10 mm, fast curing, fast hydration and controlled shrinkage, for outdoors and indoors, to level and correct the planarity of cement foundation before laying. GRIGOLEVEL 1_10 is ideal for heating and cooling floors and for any type of screed.




screed / existing foundation
→ GRIGOLEVEL 1_10

GRIGOKOLL TEXTILE



Membrane composed of 2 layers of polypropylene woven and interposed a fiber-glass mesh. It distributes evenly the tensions deriving from the foundation and allows the absorption of dimensional variations between backsurface and tile. TEXTILE is applied on the whole surface between the first and the second layer of GENIUX glue.




screed / existing foundation
GRIGOLEVEL 1_10
GENIUX - 1st layer
→ TEXTILE


GRIGOKOLL GENIUX



Highly flexible adhesive in class C2TE S2, for laying indoors and outdoors, floors and walls, large slabs in ceramic, mosaic and stony materials. GENIUX is performing in all kind of works, in MAGNIFIX solution it is used to glue large slabs on floor and wall.



screed / existing foundation
GRIGOLEVEL 1_10
→ GENIUX - 1st layer
TEXTILE
→ GENIUX - 2nd layer
large slabs laying



MAGNIFIX

Evolved solution
for large slabs laying



Fornaci Calce Grigolin S.p.A.

Via Bombardieri 14
31010 Ponte della Priula TV
Tel. +39 0422 5261
info@fornacigrigolin.it
www.grigokoll.it



Socio Sostenitore

