

# FORNACI CALCE GRIGOLIN S.p. A.

Revision nr.10 EN Dated 22/12/2021 Printed on 22/12/2021 Page n. 1 / 10 Replaced revision:9 (Dated 29/11/2021)

# **5TH CALCE**

According to Ar	nnex II to REACH - Regulation 2020	
		1010
he substand	ce/mixture and of the c	company/undertaking
539052 5TH CALCE		
e or mixture and	uses advised against	
Mineral wall	covering with lime putty for exte	riors.
Industrial	Professional	Consumer
-	PROC: 10, 11.	PROC: 10, 11.
sheet		
	•	
31040 Tel.	Nervesa della Battaglia Italy +39 0422 5261	(TV)
Fax info@fornac	+39 0422 526299 sigrigolin.it	
HEALTH EM	IERGENCY - 112	
ation		
re		
safety datasheet th	at complies with the provisions of (E	EU) Regulation 2020/878.
re, category 3	H315 Causes skin i	us eye damage. rritation. spiratory irritation.
-		
	aubaanuant amondments and sound	amanta
2/2008 (GLP) and	subsequent amendments and suppl	ements.
	539052 5TH CALCE ce or mixture and Mineral wall Industrial - sheet FORNACI C. Via Foscarin 31040 Tel. Fax info@fornac HEALTH EM ation re t to the provisions s safety datasheet th for health and/or th	539052         STH CALCE         ce or mixture and uses advised against         Mineral wallcovering with lime putty for externance         Industrial       Professional         -       PROC: 10, 11.         -       PROC: 10, 11.         a sheet       FORNACI CALCE GRIGOLIN S.p. A.         Via Foscarini, 2       31040         Mervesa della Battaglia       Italy         Tel.       +39 0422 5261         Fax       +39 0422 526299         info@fornacigrigolin.it       HEALTH EMERGENCY - 112         ation       Italy         tre       to the provisions set forth in (EC) Regulation 1272/2001         safety datasheet that complies with the provisions of (Efor health and/or the environment are given in sections         H318       Causes serior         H318       Causes serior



Signal words:

Danger

Hazard statements: H318 H315

Causes serious eye damage. Causes skin irritation.

@EPY 11.0.3 - SDS 1004.14



## FORNACI CALCE GRIGOLIN S.p. A.

# **5TH CALCE**

### SECTION 2. Hazards identification

OLOTION 2. Huzulus					
H335	May cause respiratory	irritation.			
Precautionary statements P301+P310 P102 P262 P273 P280 P501 P302+P352 P305+P351+P338	P301+P310IF SWALLOWED: Immediately call a POISON CENTER or doctor / physicial.P102Keep out of reach of children.P262Do not get in eyes, on skin, or on clothing.P273Avoid release to the environment.P280Wear protective gloves / protective clothing / eye protection / face protection.P501Dispose of contents / container in conformity to the national regulation.P302+P352IF ON SKIN: Wash with plenty of of soap and water.				
Contains:	Calcium dihydroxide				
VOC (Directive 2004/42/EC) :         Coatings for exterior walls of mineral substrate.         VOC given in g/litre of product in a ready-to-use condition :       0,15         Limit value:       40,00         2.3. Other hazards       0n the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.         The product does not contain substances with endocrine disrupting properties in concentration >= 0.1%.					
SECTION 3. Composition/information on ingredients					
3.2. Mixtures					
Contains:					
Identification	x = Conc. %	Classification 1272/2008 (CLP)			
Calcium dihydroxide         Exec Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335           CAS         1305-62-0         5 ≤ x < 9					
The full wording of hazard	d (H) phrases is given in	section 16 of the sheet.			

### SECTION 4. First aid measures

### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available



## **SECTION 5. Firefighting measures**

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

### **SECTION 6. Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage**

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available



### SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Information not available

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Properties		Value	Information
Appearance		paste	
Colour		White and chart colors	
Odour		characteristic	
Melting point / freezing point		Not available	
Initial boiling point		100 °C	
Flammability		not flammable	
Lower explosive limit		Not available	
Upper explosive limit		Not available	
Flash point	>	93 °C	
Auto-ignition temperature		Not available	
Decomposition temperature		Not available	
pH		12 - 13	
Kinematic viscosity		Not available	
Dynamic viscosity		100000 - 120000 Cps	
Solubility		completely dispersible in water	
Partition coefficient: n-octanol/water		Not available	
Vapour pressure		Not available	
Density and/or relative density		1,87 kg/l	
Relative vapour density		Not available	
Particle characteristics		Not applicable	
9.2. Other information			

@EPY 11.0.3 - SDS 1004.14

ΕN



### SECTION 9. Physical and chemical properties

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2004/42/EC) : Explosive properties Oxidising properties Granulometry < 0.01 % - 0,15 not applicable not applicable 0.7 - 1.0 - 1.2 mm g/litre

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Calcium dihydroxide

Stable in normal conditions of use and storage.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### Calcium dihydroxide

Stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

Calcium dihydroxide

Develops hydrogen on contact with: aluminium,brass,moisture. Reacts with: carbon dioxide.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

Calcium dihydroxide

Decomposes if exposed to: moisture,moist air.

10.5. Incompatible materials

Calcium dihydroxide

Avoid contact with: acids. 10.6. Hazardous decomposition products

### Calcium dihydroxide

Develops hydrogen on contact with: aluminium,brass,moisture.

### SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY



## FORNACI CALCE GRIGOLIN S.p. A.

# **5TH CALCE**

Revision nr.10 EN Dated 22/12/2021 Printed on 22/12/2021 Page n. 6 / 10 Replaced revision:9 (Dated 29/11/2021)

### SECTION 11. Toxicological information ..../

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

Calcium dihydroxide LD50 (Oral): LD50 (Dermal):

> 2000 mg/kg > 2500 mg/kg

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause respiratory irritation

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

### SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

Calcium dihydroxide
LC50 - for Fish
EC50 - for Crustacea
EC50 - for Algae / Aquatic Plants
Chronic NOEC for Crustacea
Chronic NOEC for Algae / Aquatic Plants

12.2. Persistence and degradability

> 160 mg/l/96h > 49,1 mg/l/48h > 184,57 mg/l/72h 32 mg/l 48 mg/l



Revision nr.10 EN Dated 22/12/2021 Printed on 22/12/2021 Page n. 7 / 10 Replaced revision:9 (Dated 29/11/2021)

### SECTION 12. Ecological information

Calcium dihydroxide Solubility in water Degradability: information not available

1844,9 mg/l

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

### 12.7. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number or ID number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable



### SECTION 14. Transport information

14.6.	Special	precautions	for user
	opoolai	probadiono	101 4001

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

## SECTION 15. Regulatory information

15.1.	Safety.	health	and	environmenta	l reaul	ations/leg	dislation	specific	for the	substance o	r mixture
	ourory,	noului	unu	cite in orinite inte	ricgui	autononog	410141011	Specific		Substance o	I IIIAtul C

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Product	
Point	3
Contained substance	
Point	75

Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

VOC (Directive 2004/42/EC) : Coatings for exterior walls of mineral substrate.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

This safety data sheet contains one or more Exposure Scenarios in an integrated form. Contents have been included in sections 1.2, 8, 9, 12, 15 and 16 of this safety data sheet.

## **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.



Revision nr.10 EN Dated 22/12/2021 Printed on 22/12/2021 Page n. 9 / 10 Replaced revision:9 (Dated 29/11/2021)

### SECTION 16. Other information

Use descriptor system:

PROC 10 PROC 11 Roller application or brushing Non industrial spraying

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy





### SECTION 16. Other information

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 08 / 10 / 11 / 12 / 15 / 16.