

FORNACI CALCE GRIGOLIN S.p. A.

ANIDRIMASS

ΕN Revision nr.3 Dated 11/03/2024 Dated 11/03/2024 Printed on 11/03/2024 Page n. 1 / 10 Replaced revision:2 (Dated 21/12/2022)

Safety Data Sheet According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH			
SECTION 1. Identifi	cation of the sub	stance/mixture and of th	ne company/undertaking
1.1. Product identifier			
Code: Product name		010084 RIMASS	
1.2. Relevant identified uses	of the substance or mixtu	re and uses advised against	
Intended use	Anhy	drite-based self-leveling screed	
Identified Uses	Indus		Consumer
BUILDING Product to be mixed with wat Product for craft and private of Any other use is not recommo	use.	SU: 19.	SU: 19.
1.3. Details of the supplier of	the safety data sheet		
Name Full address District and Country e-mail address of the competer	Via Fo 3104(Tel. Fax	IACI CALCE GRIGOLIN S.p. A. oscarini, 2) Nervesa della Battaglia Italy +39 0422 5261 +39 0422 526299	(TV)
responsible for the Safety Data	•	ofornacigrigolin.it	
1.4. Emergency telephone nu	mber		
For urgent inquiries refer to	HEAL	TH EMERGENCY - 112	
SECTION 2. Hazard	s identification		
2.1. Classification of the subs			
	tains hazardous substance		1272/2008 (CLP). ared in section no. 3, it requires a safety data
Hazard classification and indica	ation:		
2.2. Label elements			
Hazard labelling pursuant to EC	Regulation 1272/2008 (CL	P) and subsequent amendments and	supplements.
Hazard pictograms:			
Signal words:			
Hazard statements: EUH210 EUH208	Safety data sheet available Contains: PORTLAN May produce an allergic re	D CEMENT CLINKER	
Precautionary statements: P101 P102	If medical advice is needed Keep out of reach of childr	d, have product container or label at h en.	and.



SECTION 2. Hazards identification/>>

P261	Avoid breathing dust.
P280	Wear protective gloves / face protection.
P302+P352	IF ON SKIN: Wash with plenty of of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P310	Immediately call a POISON CENTER / doctor /
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

The mixture has a low chromate content. After adding water the soluble chromium (VI) content is at most 2 ppm on the dry product. To maintain a low chromate content, store it properly, in dry conditions, respecting the maximum expected storage terms. The percentage of respirable crystalline silicon oxide is less than 1%. Therefore the product is not subject to identification. However it is advisable to use respiratory protection.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification **x = Conc.** %

PORILAND	CEMENT CLINKER	
INDEX	0,5 ≤ x < 1	Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Skin Sens. 1B H317
EC	266-043-4	
CAS	65997-15-1	
REACH Red	n. 02-2119682167-31-0000	

Classification (EC) 1272/2008 (CLP)

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Wash contaminated clothing before using it again. INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.



SECTION 5. Firefighting measures

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products. The product is combustible and, when the powder is released into the air in sufficient concentrations and in the presence of a source of ignition, it can create explosive mixtures with air. Fires may start or get worse by leakage of the solid product from the container, when it reaches high temperatures or through contact with sources of ignition.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available



SECTION 8. Exp	osure cont	trols/perso	nal pr	otection	
8.1. Control parameters					
Regulatory References:					
TLV-A	CGIH	ACGIH 2022			
		POF	RTLAND C		IKER
Threshold Limit Value Type Count	rv TWA/8h		STEL/15	imin	Remarks / Observations
	mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH	1				RESP
Legend: C) = CEILING ; INHAL:	= Inhalable Fract	tion ; RESP = I	Respirable	Fraction ; T	HORA = Thoracic Fraction.
	respirable fract	ion: 3 mg/m3; PN	NOC inhala	ble fraction: 1	GIH occupational exposure levels for inert particulate not 0 mg/m3). For values above these limits, use a P type filter, t.
.2. Exposure controls					
ired through effective loca IAND PROTECTION In the case of prolonged co Vork glove material must b KIN PROTECTION	I aspiration. Intact with the proper chosen accore	oduct, protect the ding to the use pr	e hands wi rocess and	th penetration	protective equipment, make sure that the workplace is well -resistant work gloves (see standard EN 374). that may form. Latex gloves may cause sensitivity reactions.
oap and water after remov EYE PROTECTION Vear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facent tandard EN 149). INVIRONMENTAL EXPOSE The emissions generated by ompliance with environment SECTION 9. Physical SECTION 9. Physical SECTION 9. Physical Physical Protection 1000 Physical Protection 1000 Physical Physica	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu :hemical p	effective n iding those roperti	eed, must be	ion 2016/425 and standard EN ISO 20344). Wash body with defined according to the outcome of risk assessment (see r ventilation equipment, should be checked to ensure
oap and water after remove EYE PROTECTION Vear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facen tandard EN 149). INVIRONMENTAL EXPOSE The emissions generated be compliance with environme SECTION 9. Physical Information on basic	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu :hemical p	effective n uding those roperti ties	eed, must be	defined according to the outcome of risk assessment (see
oap and water after remove EYE PROTECTION Vear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facent tandard EN 149). ENVIRONMENTAL EXPOSE The emissions generated be compliance with environme SECTION 9. Physical Properties Appearance	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu :hemical proper Value powde	effective n uding those roperti ties	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
oap and water after removing YE PROTECTION Vear airtight protective good ESPIRATORY PROTECT Ise a type P filtering facent tandard EN 149). NVIRONMENTAL EXPOSI- he emissions generated to compliance with environmed SECTION 9. Physical SECTION 9. Physical Competies Pipearance colour	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu :hemical proper Value powde beige	effective n uding those roperti ties	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
oap and water after remove YE PROTECTION Vear airtight protective gog RESPIRATORY PROTECT Ise a type P filtering facent tandard EN 149). INVIRONMENTAL EXPOSE the emissions generated be compliance with environme SECTION 9. Physical Information on basical Properties September 200 Security 200 Secu	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu :hemical proper Value powde beige odourl	effective n uding those roperti ties	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
oap and water after remove EYE PROTECTION Vear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facent tandard EN 149). ENVIRONMENTAL EXPOSE the emissions generated be ompliance with environme SECTION 9. Physical Competities Properties September 200 Colour Dodour Melting point / freezing point	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu :hemical proper Value powde beige odourl not ave	effective n uding those roperti ties er ess	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
oap and water after remove EYE PROTECTION Vear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facent tandard EN 149). ENVIRONMENTAL EXPOSE The emissions generated be ompliance with environme SECTION 9. Physical Antiperstees Properties Properties Description on basic Properties Colour Description of the freezing point tial boiling point Tammability	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	Nothing. ard EN 166). as (1, 2 or 3) and LS processes, inclu chemical proper Value powde beige odourl not av not av not av	effective n uding those roperti ties er ess ailable plicable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
oap and water after remove EYE PROTECTION Vear airtight protective gog RESPIRATORY PROTECT Jse a type P filtering facent tandard EN 149). ENVIRONMENTAL EXPOSE The emissions generated be ompliance with environme SECTION 9. Physical Componential and the protect of the second Properties Repearance Colour Description / freezing point tammability ower explosive limit	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	Nothing. ard EN 166). ard EN 166). as (1, 2 or 3) and LS processes, inclu chemical proper Value powde beige odourl not av not av not av not av	effective n uding those roperti ties er ess ailable plicable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
Coop and water after remove EYE PROTECTION Wear airtight protective gog RESPIRATORY PROTECT Jse a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOSE The emissions generated by compliance with environme SECTION 9. Physical Construction on basic Properties Appearance Colour Defining point / freezing point filammability Lower explosive limit Jpper explosive limit Jpper explosive limit	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	Nothing. ard EN 166). ard EN 166). as (1, 2 or 3) and LS processes, inclu chemical proper Value powde beige odourl not av not av not av not av not av	effective n uding those roperti ties er ess ailable plicable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remove EYE PROTECTION Wear airtight protective gog RESPIRATORY PROTECT Jse a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOS The emissions generated b compliance with environme SECTION 9. Phys 9.1. Information on basic Properties Appearance Colour Description of the transformed Colour Description of the transformed Colour Descriptio	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing ental standards.	In thing. ard EN 166). ard EN 166). ard EN 166). ard EN 166). I processes, incluing chemical proper Value powder beige odourl not av not av not av not av not av not av not av not av not av	effective n uding those roperti ties er ess ailable plicable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remov EYE PROTECTION Wear airtight protective goo RESPIRATORY PROTECT Jse a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOS The emissions generated b compliance with environme SECTION 9. Phys 9.1. Information on basic Properties Appearance Colour Odour Melting point / freezing poin tital boiling point Flammability Lower explosive limit Flash point Auto-ignition temperature	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing intal standards. Sical and c physical and c	In thing. ard EN 166). ard EN 166). ard EN 166). ard EN 166). I processes, incluing chemical proper Value powder beige odourl not av not av not av not av not av not av not av not av not av	effective n uding those roperti ties er ess ailable plicable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remove EYE PROTECTION Wear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facent standard EN 149). ENVIRONMENTAL EXPOSE The emissions generated be compliance with environme SECTION 9. Physe 9.1. Information on basic OBCION 9. Physe 9.1. Information on basic Properties Appearance Colour Defense Appearance Colour Defense Appearance Colour Defense Colour Defen	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing intal standards. Sical and c physical and c	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu chemical proper chemical proper Value powde beige odourl not av not av	effective n uding those roperti ties er ess ailable plicable ailable ailable ailable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after removes EYE PROTECTION Wear airtight protective good RESPIRATORY PROTECT Jse a type P filtering facent standard EN 149). ENVIRONMENTAL EXPOSE The emissions generated be compliance with environmes SECTION 9. Physe 3.1. Information on basic Colour Colour Defense Colour Defense Colour Defense	ving protective cl ggles (see stand FION hask, whose clas SURE CONTRO by manufacturing intal standards. Sical and c physical and c	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu chemical proper chemical proper Value powde beige odourl not av not av	effective n iding those roperti ties er ess ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remov EYE PROTECTION Wear airtight protective goo RESPIRATORY PROTECT Jse a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOS The emissions generated b compliance with environme SECTION 9. Phys 9.1. Information on basic Properties Appearance Colour Odour Melting point / freezing poi Initial boiling point Flammability Lower explosive limit Jpper explosive limit Juper explosive limit Flash point Auto-ignition temperature Decomposition temperature Decomposition temperature Decomposition temperature OH	ving protective cl ggles (see stand. FION hask, whose clas SURE CONTRO by manufacturing intal standards. Sical and c physical and c ht	othing. ard EN 166). ss (1, 2 or 3) and LS processes, inclu chemical proper chemical proper Value powde beige odourl not av not av	effective n iding those roperti ties er ess ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remov EYE PROTECTION Wear airtight protective goo RESPIRATORY PROTECT Jse a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOS The emissions generated b compliance with environme SECTION 9. Phys 9.1. Information on basic Properties Appearance Colour Odour Melting point / freezing poi Initial boiling point Flammability Lower explosive limit Flash point Auto-ignition temperature Decomposition temperature Decomposition temperature oH Kinematic viscosity Solubility Partition coefficient: n-octa	ving protective cl ggles (see stand. FION hask, whose clas SURE CONTRO by manufacturing intal standards. Sical and c physical and c ht	In thing. ard EN 166). ard EN 166). ard EN 166). ard EN 166). ard EN 166). Chemical proper Chemical proper Value powde beige odourl not av. not av	effective n iding those roperti ties er ess ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remov EYE PROTECTION Wear airtight protective goo RESPIRATORY PROTECT Use a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOS The emissions generated b compliance with environme SECTION 9. Phys 9.1. Information on basic Properties Appearance Colour Odour Melting point / freezing poi Initial boiling point Flammability Lower explosive limit Flash point Auto-ignition temperature Decomposition temperature Decomposition temperature Decomposition temperature Decomposition temperature DH Kinematic viscosity Solubility Partition coefficient: n-octa Vapour pressure	ving protective of ggles (see stand FION hask, whose class SURE CONTRO by manufacturing intal standards. Sical and c physical and c nt e nt	In thing. ard EN 166). ard EN 166). ard EN 166). ard EN 166). ard EN 166). Chemical proper Chemical proper Value powde beige odourl not av. not av	effective m iding those roperti ties er ess ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable	eed, must be a generated by es	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure
soap and water after remove EYE PROTECTION Wear airtight protective gog RESPIRATORY PROTEC Use a type P filtering facen standard EN 149). ENVIRONMENTAL EXPOS	ving protective of ggles (see stand FION hask, whose class SURE CONTRO by manufacturing intal standards. Sical and c physical and c nt e nt	In thing. ard EN 166). ard EN 166). ard EN 166). ard EN 166). ard EN 166). ard EN 166). Chemical proper Value powde beige odourl not av. not av. no	effective m iding those roperti ties er ess ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable ailable	eed, must be	defined according to the outcome of risk assessment (see ventilation equipment, should be checked to ensure



SECTION 9. Physical and chemical properties

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Granulometry

< 2.5 mm

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

PORTLAND CEMENT CLINKER

When mixed with water, it hardens to form a stable mass.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

PORTLAND CEMENT CLINKER

The compound is stable in the conditions of use and storage, if kept dry. When wet, it can react with acids, ammonium salts, aluminum and other non-noble metals.

10.3. Possibility of hazardous reactions

The powders are potentially explosive when mixed with air.

10.4. Conditions to avoid

Avoid environmental dust build-up.

PORTLAND CEMENT CLINKER Moisture can cause lumps and quality loss.

10.5. Incompatible materials

PORTLAND CEMENT CLINKER

Incompatible with acids, ammonium salts, aluminum, alkaline metals and alkaline earth metals.

10.6. Hazardous decomposition products

PORTLAND CEMENT CLINKER

Develops hydrogen in contact with aluminum powder.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the

toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure



 Revision nr.3
 E

 Dated 11/03/2024
 Printed on 11/03/2024

 Page n. 6 / 10
 Replaced revision:2 (Dated 21/12/2022)

SECTION 11. Toxicological information/

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture: Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: PORTLAND CEMENT CLINKER

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Information not available

12.2. Persistence and degradability



SECTION 12. Ecological information

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable



SECTION 14. Transport information

14.6	6. S	pecial	precautions	for	user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Contained substance		
Point	75	Calcium carbonate
Point	47	PORTLAND CEMENT CLINKER
		REACH Reg.: 02-2119682167-31-0000

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention: None

Healthcare controls Information not available

None

REACH restriction 75 only applies to tattoo inks. Not applicable to the relevant identified uses of the product.

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Skin Sens. 1B	Skin sensitization, category 1B
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H317	May cause an allergic skin reaction.
EUH210	Safety data sheet available on request.
se descriptor system:	

Use descriptor system: **SU** 19

Building and construction work

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

@EPY 11.5.0 - SDS 1004.14



Revision nr.3 E Dated 11/03/2024 Printed on 11/03/2024 Page n. 9 / 10 Replaced revision:2 (Dated 21/12/2022)

SECTION 16. Other information

- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).
- GENERAL BIBLIOGRAPHY
- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.



FORNACI CALCE GRIGOLIN S.p. A.

ANIDRIMASS

 Revision nr.3
 E

 Dated 11/03/2024
 Printed on 11/03/2024

 Page n. 10 / 10
 Replaced revision:2 (Dated 21/12/2022)

SECTION 16. Other information

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11. Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 01 / 08 / 15.